

# 2023 Flame Collection



# TABLE OF CONTENTS

Flame Connect App	2	Log Sets & Inserts	40
Linear Electric Fireplaces		Mantels	
<b>NEW!</b> IgniteXL® Bold	3-6	Featherston	42
IgniteXL®	7-9	Fieldstone	43
<b>NEW!</b> Multi-Fire® SL Series	10-12	Jean	44
Sierra Series	13-14	Royce	45
Opti-V	15-16		
Specifications	17	Ordering SKU Index	46
Direct-wire Fireboxes			
Revillusion®	18-21		
BF Series	22-24		
Plug-in Fireboxes			
DF Series	25-26		
Multi-Fire XHD™	27-29		
Multi-Fire XD®	30		
Specifications	31		
Water Vapor Fireboxes			
<b>NEW!</b> Opti-myst® Linear	32-34		
Opti-myst® Pro 1500	35		
Opti-myst® Pro 1000	36		
Opti-myst® Pro Accessories	37		
Opti-myst® Cassettes	38		
Opti-myst® Cassettes Accessories	39		



Dimplex is the feeling you get when you hit the snooze button and stay under the covers a few minutes longer. It's the comfort found in the moments that matter, like when the kids are down and your feet go up. Our products are the gathering place and focal point that rooms are built around. So whether it's a living room or hotel lobby, bathroom retreat or spa, we can help you design the right comfort solution to create those perfect moments.

We are leaders in design and innovation; continually challenging the status quo on a global scale to create products for the discriminating buyer. Our dozens of patented technologies translate to fireplaces that dazzle the senses and heaters that make spaces more efficient and comfortable no matter what the need.

Whether a residential or commercial space, we design fireplaces that make a style statement. You will appreciate the energy efficiency and treading a little lighter with your eco-footprint, but at the end of the day it's the deep breath that comes naturally when you relax in front of a fireplace.



# Welcome to Flame Connect

Control your electric fireplaces,  
from the palm of your hand.



## Connect your electric fireplaces

Add as many fireplaces as you like  
to the Flame Connect App.



## Personalize your product

Change modes and settings on  
your fireplace to suit your mood.




## Secure your device

Take ownership of a product to  
prevent unauthorized access.

## NEW! Flame Connect app

Download the Flame Connect app on your mobile device and create an account. With the app you can add an extra level of personalization, such as saving customized mood settings.


- Sleep timer automatically shuts the fireplace off after a set amount of time
- User manual with help and FAQ feature
- Updates, alerts, and user notifications



- Control your fireplaces from one convenient spot



- Temperature can be adjusted to show values in °F and °C



- Use the color picker to personalize with unlimited custom colors

- With the app you can adjust the flame brightness and speed beyond the remote technology
- Create and save favorite customized moods
- Guest mode

Note: App features may vary depending on product.

For additional information,  
visit [dimplex.com/fcapp](https://dimplex.com/fcapp)

Available in the App Store and  
Google Play





## IgniteXL® Bold

NEW!

Design to impress with the IgniteXL® Bold Linear Electric Fireplace. This modern, built-in fireplace creates the illusion of incredible depth, while advanced controls maximize enjoyment and allow you to add your own personalized touch. With industry leading flexible installation options in one design; or make a bold statement and connect multiple units together for a grand, modern masterpiece.

## IgniteXL® Bold

### Multi-Fire® XD Flame Effect

Vivid flames that are brighter and more lifelike day or night, featuring a multi-layered color effects creating a sense of depth


### Bigger, Better Viewing

Elevate fireplace enjoyment with an impressive 16" (40.6 cm) high viewing area

### Modular Installation

Use the linking kit and combine multiple units in a series to achieve your desired length

**NEW!**



**XLF5017-XD**  
50" Linear Electric Firebox

Product Dimensions  
with trim (WxHxD)  
50-1/2" x 23-7/8" x 12-1/4"  
128.3 cm x 60.6 cm x 31.1 cm

Carton Dimensions (WxHxD)  
55-3/8" x 28-5/8" x 16-3/4"  
140.7 cm x 72.7 cm x 42.5 cm

Packaged Weight  
121.9 lbs / 55.3 kg

UPC  
781052137226



**XLF6017-XD**  
60" Linear Electric Firebox

Product Dimensions  
with trim (WxHxD)  
63-1/8" x 23-7/8" x 12-1/4"  
160.3 cm x 60.6 cm x 31.1 cm

Carton Dimensions (WxHxD)  
68-3/8" x 28-5/8" x 16-3/4"  
173.7 cm x 72.7 cm x 42.5 cm

Packaged Weight  
147.7 lbs / 67.0 kg

UPC  
781052137233



**XLF7417-XD**  
74" Linear Electric Firebox

Product Dimensions  
with trim (WxHxD)  
75-5/8" x 23-7/8" x 12-1/4"  
192.1 cm x 60.6 cm x 31.1 cm

Carton Dimensions (WxHxD)  
80-1/4" x 28-5/8" x 16-3/4"  
203.8 cm x 72.7 cm x 42.5 cm

Packaged Weight  
171.5 lbs / 77.8 kg

UPC  
781052137257



**XLF8817-XD**  
88" Linear Electric Firebox

Product Dimensions  
with trim (WxHxD)  
88-1/4" x 23-7/8" x 12-1/4"  
224.2 cm x 60.6 cm x 31.1 cm

Carton Dimensions (WxHxD)  
93-1/4" x 28-5/8" x 16-3/4"  
236.9 cm x 72.7 cm x 42.5 cm

Packaged Weight  
179.7 lbs / 81.5 kg

UPC  
781052137264



**XLF10017-XD**  
100" Linear Electric Firebox

Product Dimensions  
with trim (WxHxD)  
100-3/4" x 23-7/8" x 12-1/4"  
255.9 cm x 60.6 cm x 31.1 cm

Carton Dimensions (WxHxD)  
105-1/2" x 28-5/8" x 16-3/4"  
268.0 cm x 72.7 cm x 42.5 cm

Packaged Weight  
223.3 lbs / 101.3 kg

UPC  
781052137271



**NEW! Flame Connect App**  
See page 2 for more details

# IgniteXL® Bold

**NEW!**



## Mood Themes



## Flame Themes



## Accessories (sold separately)



**Plug Kit**

XLFXDPLUG

UPC  
781052139527




**Linking Kit**

XLFXDLINK

UPC  
781052139503

## Hidden Touch Controls



## Mood-maker Remote



## Flame Connect App





## IgniteXL® Bold

### Modular Installation

To get a dramatically oversized fireplace that makes a lasting impression, use the linking kit and combine multiple units in a series to achieve your desired length.


**NEW!**

### Left

Shown with three - 60" units (XLF6017-XD) linked together and the left side panel removed for a corner and front viewing area.

### Linking Kit

Use the linking kit and combine multiple units in a series to achieve your desired length



### Front

Shown with three - 60" units



### Right

Shown with three - 60" units



### Bay

Shown with three - 60" units



**IgniteXL®**

IgniteXL® is our premium linear electric fireplace. Incredibly lifelike and visually stunning, IgniteXL transforms the look and feel of any room. Patented flame and heat technology, a simple, flexible installation, and flawless panoramic views - ignite the senses from any angle!

## IgniteXL®

### Less Frame, More Flame

Clean front face with minimal trim makes the dazzling flames the focal point

### Multi-Fire XD® Flame Effect

Vivid flames that are brighter and more lifelike, day or night

### Comfort\$aver® Heating System

Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft



#### XLF50 - IgniteXL® 50"

Product Dimensions (WxHxD)  
50-3/8" x 15-5/8" x 5-7/8"  
127.8 cm x 39.7 cm x 14.9 cm

Packaged Weight  
73.9 lbs / 33.5 kg

Carton Dimensions (WxHxD)  
56-3/8" x 21-1/4" x 12"  
143.2 cm x 54.0 cm x 30.5 cm

UPC  
781052098725



#### XLF60 - IgniteXL® 60"

Product Dimensions (WxHxD)  
60-3/8" x 15-5/8" x 5-7/8"  
153.2 cm x 39.7 cm x 14.9 cm

Packaged Weight  
82 lbs / 37.2 kg

Carton Dimensions (WxHxD)  
68-3/8" x 21-1/4" x 12"  
173.7 cm x 54.0 cm x 30.5 cm

UPC  
781052118478



#### XLF74 - IgniteXL® 74"

Product Dimensions (WxHxD)  
74-3/8" x 15-5/8" x 5-7/8"  
188.7 cm x 39.7 cm x 14.9 cm

Packaged Weight  
104.7 lbs / 48.9 kg

Carton Dimensions (WxHxD)  
80-3/8" x 21-1/4" x 12"  
204.2 cm x 54.0 cm x 30.5 cm

UPC  
781052098756



#### XLF100 - IgniteXL® 100"

Product Dimensions (WxHxD)  
100-3/8" x 15-5/8" x 5-7/8"  
254.8 cm x 39.7 cm x 14.9 cm

Packaged Weight  
137.6 lbs / 62.4 kg

Carton Dimensions (WxHxD)  
106-3/8" x 21-1/4" x 12"  
270.2 cm x 54.0 cm x 30.5 cm

UPC  
781052104594


## IgniteXL®



### Mood Themes




### Accessories (sold separately)



### Driftwood & River Rock Accessory Kit

Fireplace	Model #	UPC
XLF50	- LF50DWS-KIT	781052102842
XLF60	- LF74DWS-KIT	781052102859
XLF74	- LF74DWS-KIT	781052102859
XLF100	- LF100DWS-KIT	781052104617

### Hidden Touch Controls



### Metal Trim Kit

Allows for installation into 2" x 4" wall construction

Fireplace	Model #	UPC
XLF50	- XLFTRIM50	781052107953
XLF60	- XLFTRIM60	781052120075
XLF74	- XLFTRIM74	781052107977
XLF100	- XLFTRIM100	781052107984

### Mood-maker Remote



### Plug Kit (included)






## Multi-Fire® SL Series

A red rectangular badge with the word 'NEW!' in white, bold, sans-serif capital letters.

NEW!

A photograph of a modern interior featuring a slim linear electric fireplace. The fireplace is a black rectangular unit mounted on a wall of large, grey, textured stone tiles. It displays a vibrant, multi-colored flame effect in shades of orange, yellow, and blue. To the left of the fireplace, a white ceramic vase holds two dried, light-colored flowers. In the foreground, a small green plant in a grey pot is visible. To the right, a large window with horizontal blinds looks out onto a green landscape. A rustic wooden stump table stands near the window, holding a small red bottle and a white candle. The overall atmosphere is contemporary and sophisticated.

With an incredibly shallow depth the Slim Linear allows builders, designers, property managers and homeowners to incorporate a stylish Linear fireplace where space is limited. This Slim Linear electric fireplace sits flush with 2"x4" exterior framing, making this a game-changing and industry exclusive design.

## Multi-Fire® SL Series

### Multi-Fire® SL Flame Effect

Large, high-contrast flames feature a multi-layered color effect that creates a sense of depth


### Comfort\$aver® Heating System

Safe concealed ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.

### Slim Design

Installs flush into a 2" x 4" wall for a seamless look or can be wall mounted (bracket included) for quick and easy installation

**NEW!**



#### PLF3614-XS - 36" Slim Linear Electric Fireplace

Product Dimensions (WxHxD)  
37-1/4" x 19-5/8" x 3-7/8"  
94.6 cm x 49.7 cm x 9.8 cm

Carton Dimensions (WxHxD)  
46-1/4" x 24-5/8" x 9-1/2"  
117.5 cm x 62.5 cm x 24.1 cm

Packaged Weight  
57.8 lbs / 26.2 kg

UPC  
781052137318



#### PLF4214-XS - 42" Slim Linear Electric Fireplace

Product Dimensions (WxHxD)  
43-1/4" x 19-5/8" x 3-7/8"  
109.9 cm x 49.7 cm x 9.8 cm

Carton Dimensions (WxHxD)  
52" x 24-5/8" x 9-1/2"  
132.1 cm x 62.5 cm x 24.1 cm

Packaged Weight  
64.8 lbs / 29.4 kg

UPC  
781052137301



#### PLF5014-XS - 50" Slim Linear Electric Fireplace

Product Dimensions (WxHxD)  
51-1/4" x 19-5/8" x 3-7/8"  
130.2 cm x 49.7 cm x 9.8 cm

Carton Dimensions (WxHxD)  
60" x 24-5/8" x 9-1/2"  
152.5 cm x 62.5 cm x 24.1 cm

Packaged Weight  
74.8 lbs / 33.95 kg

UPC  
781052137295



#### PLF6014-XS - 60" Slim Linear Electric Fireplace

Product Dimensions (WxHxD)  
61-1/4" x 19-5/8" x 3-7/8"  
155.6 cm x 49.7 cm x 9.8 cm

Carton Dimensions (WxHxD)  
70" x 24-5/8" x 9-1/2"  
177.8 cm x 62.5 cm x 24.1 cm

Packaged Weight  
87.1 lbs / 39.5 kg

UPC  
781052137288




**NEW! Flame Connect App**  
See page 2 for more details



## Multi-Fire® SL Series



### Mood Themes



### Flame Themes



### Accessories (sold separately)



**Plug Kit**  
PLFXSPLUG

UPC  
781052139534


### Multi-function Remote



### Flame Connect App



### Hidden Touch Controls (F° or C°)





## Sierra Series



The Sierra linear fireplace series is the perfect solution for any space. With three installation options - built-in, wall-mount or table top stand, you will never have a problem finding the right place for it. Use the interchangeable media bed options to change the look and feel any time, and rotate the color of the ember bed and flames to add a pop of color. Create that cozy feeling with the touch of a button.

## Sierra Series

### Flame Effect


High-contrast flames feature, improved brightness and character for a dazzling, lifelike effect

### Interchangeable Media Bed

Enhance any space in your home with the customizable media bed by choosing between the four included options – large/small crystals, logs or pebbles

### Media Accent Colors

Alternate between eight flame/ember bed colors



**SIL48 - 48" Linear Electric Fireplace**

**Product Dimensions, without stand (WxHxD)**  
48" x 19-1/2" x 5-1/4"  
121.9 cm x 49.5 cm x 13.2 cm

**Carton Dimensions (WxHxD)**  
53-3/8" x 22-7/8" x 9-5/8"  
135.6 cm x 57.9 cm x 24.4 cm

**Packaged Weight** **UPC**  
59.1 lbs / 26.8 kg 781052132733

### Flame Themes




**SIL60 - 60" Linear Electric Fireplace**

**Product Dimensions, without stand (WxHxD)**  
60" x 19-1/2" x 5-1/4"  
152.4 cm x 49.5 cm x 13.2 cm

**Carton Dimensions (WxHxD)**  
65-3/4" x 23-1/2" x 9-5/8"  
167.0 cm x 62.0 cm x 24.4 cm

**Packaged Weight** **UPC**  
87.1 lbs / 39.5 kg 781052132757

### Interchangeable Media Options



**SIL72 - 72" Linear Electric Fireplace**

**Product Dimensions, without stand (WxHxD)**  
72" x 19-1/2" x 5-1/4"  
182.9 cm x 49.5 cm x 13.2 cm

**Carton Dimensions (WxHxD)**  
77-3/4" x 24-3/4" x 9-5/8"  
197.5 cm x 62.0 cm x 24.4 cm

**Packaged Weight** **UPC**  
100.3 lbs / 45.5 kg 781052132764



Included stand allows for tabletop installation.  
Product with stand 21-1/5" (54.6 cm) tall, depth 11" (27.9 cm)



## Opti-V™



Opti-V™ uses unprecedented technology to render flames and sparks for a virtual fireplace experience like no other. The unique design combines ultra realistic flickering flames with three dimensional LED logs that sporadically spark and crackle! The perfect blend of magic and realism - Opti-V™ is the most unbelievable flame effect yet.



## Opti-V™

### Opti-V™ Flame Effect


High definition video and a patented three-dimensional illusion creates dazzling flames that flicker between the logs

### Heat-free Operation

Designed with the sole purpose of providing a stunning visual flame feature

### Sight and Sound Remote

Turn on the flames and crackling sound effects at the touch of a button



**VF2927L**  
Opti-V™ Solo

Product Dimensions (WxHxD)  
30" x 17-3/4" x 14"  
76.0 cm x 45.0 cm x 35.5 cm

Carton Dimensions (WxHxD)  
33-7/8" x 22-1/8" x 17-3/4"  
86.0 cm x 56.0 cm x 45.0 cm

Packaged Weight  
62.7 lbs / 28.5 kg

UPC  
781052092877



**VF5452L**  
Opti-V™ Duet

Product Dimensions (WxHxD)  
54-3/8" x 17-3/4" x 14"  
138.0 cm x 45.0 cm x 35.5 cm

Carton Dimensions (WxHxD)  
62-1/4" x 22-1/8" x 17-3/4"  
158.0 cm x 56.0 cm x 45.0 cm

Packaged Weight  
115.5 lbs / 52.5 kg

UPC  
781052092853

## Specifications

Firebox Series	IgniteXL® Bold Series	IgniteXL® Series	Multi-Fire SL Series	Sierra Series	Opti-V™ Series
Size	50", 60", 74", 88", 100"	50", 60", 74", 100"	36", 42", 50", 60"	48", 60", 72"	Solo, Duet
Media	Driftwood, Acrylic Ice	Acrylic Ice	Acrylic Ice	Interchangeable - Logs, Crystals, Pebbles	Logs - High Definition Video
Mood Themes	7	4	5	8	
Media Brightness	•	•	•	•	
Flame Themes	7	1	7	8	
Flame Technology	Multi-Fire® XD Flame Effect	Multi-Fire® XD Flame Effect	Multi-Fire® SL Flame Effect	High contrast	Opti-V™ Flame Effect
Flame Brightness	•		•	•	
Flame Only Mode	•	•	•	•	Flame Only Operation
Heater Only Mode	•	•	•	Heat only mode with ember bed lit	
Heat Operation	ComfortSaver	ComfortSaver	Powerful Supplemental Heating	Powerful Supplemental Heating	Heat-free Operation Only
Heating Range	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	1000 sq. ft.	
Heat Disable	Onboard controls or hardwire disconnect	Onboard controls or hardwire disconnect	Onboard controls or hardwire disconnect	Onboard controls	
Light Settings					
Built-in Thermostat	•	•	•	•	
Wiring Type	Direct-wire, optional plug-kit sold separately	Direct-wire, optional plug-kit included	Direct-wire, optional plug-kit sold separately	Plug-in	Direct-wire
Volts	120   240	120   240	120	120	120   240
Watts	1500   2500	1500   2500	1500	1400	32
BTU	5000   8530	5118   8530	5000	4777	
Display Option	Modular, Fully recessed, Partially recessed	Fully recessed - 2x6 Partially recessed, 2x4 with trim-kit accessory	On-wall, 2x4 Fully recessed	Fully recessed, Wall-mount, Free-standing	Fully recessed
Display	•	•	•	•	
Manual Controls	Hidden Touch Controls	Hidden Touch Controls	Hidden Touch Controls	Hidden Touch Controls	Membrane controls
Timer	•	•	•	•	
Optional Accessories	•	•	•		
Remote Control	•	•	•	•	•
Warranty	5-Year Parts and Service	5-Year Parts and Service	2-Year Parts and Service	1-Year Parts	2-Year Parts and Service

## Revillusion®



Revillusion® is a completely new way of looking at fireplaces, and elevates the standard for electric. Using patented ThruView™ technology, Revillusion lets you look through the lifelike flames to the full depth of the interior - a first of its kind among electric fireplaces. The technology is impressive and the ambiance is serene. Enjoy the look of a fireplace cut straight from the pages of a magazine with Revillusion, clearly a better fireplace.



## Revillusion®

### Revillusion® Flame Technology


Flames are large, bright and more random, appearing from within the logs

### ThruView™ Full-depth Design

See clear through the flames to the back of the firebox for a more authentic experience

### Ambient Light Sensor

Automatically adjusts firebox light to suit the room day or night



Also available in  
Herringbone



**RBF24DLXWC**  
24" Electric Firebox

Product Dimensions (WxHxD)  
25-1/4" x 22-7/8" x 12-1/8"  
61.6 cm x 58.1 cm x 30.8 cm

Carton Dimensions (WxHxD)  
29-3/8" x 28-1/8" x 16-3/8"  
74.4 cm x 71.2 cm x 41.6 cm

Packaged Weight  
58.2 lbs / 26.4 kg

UPC  
781052129832



**RBF30WC**  
30" Electric Firebox

Product Dimensions (WxHxD)  
31-1/4" x 26-5/8" x 12-1/8"  
79.2 cm x 67.6 cm x 30.8 cm

Carton Dimensions (WxHxD)  
35-1/4" x 31-5/8" x 15"  
89.8 cm x 80.4 cm x 38.2 cm

Packaged Weight  
67.7 lbs / 30.7 kg

UPC  
781052129849



**RBF36WC**  
36" Electric Firebox

Product Dimensions (WxHxD)  
37-1/4" x 26-5/8" x 12-1/8"  
94.4 cm x 67.6 cm x 30.8 cm

Carton Dimensions (WxHxD)  
41-1/4" x 31-7/8" x 15-1/4"  
104.6 cm x 81.0 cm x 38.7 cm

Packaged Weight  
74.9 lbs / 34.0 kg

UPC  
781052129856



**RBF36PWC**  
36" Electric Firebox - Portrait

Product Dimensions (WxHxD)  
37-1/4" x 31" x 12-1/8"  
94.4 cm x 78.8 cm x 30.8 cm

Carton Dimensions (WxHxD)  
41-1/4" x 35-7/8" x 15-1/4"  
104.7 cm x 91.2 cm x 38.6 cm

Packaged Weight  
81.1 lbs / 36.8 kg

UPC  
781052129863



**RBF42WC**  
42" Electric Firebox

Product Dimensions (WxHxD)  
43-1/4" x 31" x 12-1/8"  
109.8 cm x 78.8 cm x 30.8 cm

Carton Dimensions (WxHxD)  
47-1/2" x 35-7/8" x 15"  
120.6 cm x 91.2 cm x 38.2 cm

Packaged Weight  
88.6 lbs / 40.2 kg

UPC  
781052129887

## Revillusion®

### Revillusion® Flame Technology


Flames are large, bright and more random, appearing from within the logs

### ThruView™ Full-depth Design

See clear through the flames to the back of the firebox for a more authentic experience

### Ambient Light Sensor

Automatically adjusts firebox light to suit the room day or night



**RBF24DLX**  
24" Electric Firebox

Product Dimensions (WxHxD)  
25-1/4" x 22-7/8" x 12-1/8"  
61.6 cm x 58.1 cm x 30.8 cm

Carton Dimensions (WxHxD)  
29-3/8" x 28-1/8" x 16-3/8"  
74.4 cm x 71.2 cm x 41.6 cm

Packaged Weight  
58.2 lbs / 26.4 kg

UPC  
781052120655



**RBF30**  
30" Electric Firebox

Product Dimensions (WxHxD)  
31-1/4" x 26-5/8" x 12-1/8"  
79.2 cm x 67.6 cm x 30.8 cm

Carton Dimensions (WxHxD)  
35-1/4" x 31-3/4" x 16-3/8"  
89.4 cm x 80.5 cm x 41.1 cm

Packaged Weight  
84.2 lbs / 38.2 kg

UPC  
781052104747



**RBF36**  
36" Electric Firebox

Product Dimensions (WxHxD)  
37-1/4" x 26-5/8" x 12-1/8"  
94.4 cm x 67.6 cm x 30.8 cm

Carton Dimensions (WxHxD)  
41-3/8" x 31-7/8" x 16-3/8"  
105.0 cm x 80.5 cm x 41.1 cm

Packaged Weight  
92.9 lbs / 42.2 kg

UPC  
781052104723



**RBF36P**  
36" Electric Firebox - Portrait

Product Dimensions (WxHxD)  
37-1/4" x 31" x 12-1/8"  
94.4 cm x 78.8 cm x 30.8 cm

Carton Dimensions (WxHxD)  
41-3/8" x 35-1/2" x 16-3/8"  
105.0 cm x 90.7 cm x 41.1 cm

Packaged Weight  
101.9 lbs / 46.2 kg

UPC  
781052108165



**RBF42**  
42" Electric Firebox

Product Dimensions (WxHxD)  
43-1/4" x 31" x 12-1/8"  
109.8 cm x 78.8 cm x 30.8 cm

Carton Dimensions (WxHxD)  
47-1/2" x 36-1/2" x 16-3/8"  
120.6 cm x 92.5 cm x 41.1 cm

Packaged Weight  
111.9 lbs / 50.7 kg

UPC  
781052104716

## Revillusion® Accessories



### Accessories (sold separately)



**Glass Pane** (Included with 24" models)

Model #	Firebox Size
RBFGGLASS30 UPC - 781052108004	30"
RBFGGLASS36 UPC - 781052108011	36"
RBFGGLASS36P UPC - 781052108028	36" Portrait
RBFGGLASS42 UPC - 781052108035	42"



**Glass Door**

Model #	Firebox Size
RBFD00R30 UPC - 781052108042	30"
RBFD00R36 UPC - 781052108059	36"
RBFD00R36P UPC - 781052108066	36" Portrait
RBFD00R42 UPC - 781052108073	42"



**Installation Trims**

Model #	Trim Width	Firebox Size
RBFL24TRIM36 UPC - 781052123595	36"	24"
RBFL24TRIM40 UPC - 781052123618	40"	24"
RBFL30TRIM38 UPC - 781052123625	38"	30"
RBFL30TRIM44 UPC - 781052123601	44"	30"



**RBFLUG**

120V power supply cord  
\* Included with 24" models

**UPC**  
781052107656



**Birch Log Set**

Model #	Firebox Size
RBFL24BR UPC - 781052130005	24"
RBFL30BR UPC - 781052130012	30"
RBFL42BR UPC - 781052129993	36", 36"P or 42"



**Fresh Cut Log Set**

Model #	Firebox Size
RBFL24FC UPC - 781052129955	24"
RBFL30FC UPC - 781052129962	30"
RBFL42FC UPC - 781052129986	36", 36"P or 42"



## BF Series



The BF Series fireboxes solve design challenges, add exceptional value, and look great doing it. Their exceptional versatility means they can be installed virtually anywhere, especially in locations and buildings that are impossible for a combustion fireplace. The BF Series offer realism that continues to set the bar in the industry and ensures that everyone.

## BF Series

### The Original Dimplex Flame Effect™

A blend of technology, artistry and craftsmanship that sets the standard for realism

### Primary Heating

Connect to a 240 volt supply for up to 9,200 BTU, which is powerful enough to use for primary heating in some applications

### Ease of Installation

Simply frame, wire and finish with the material of your choice for a custom fireplace that is also cost-effective



**BFSL33**  
33" Slim Line Electric Firebox

Product Dimensions (WxHxD)  
35-3/4" x 29-7/8" x 9-7/8"  
90.7 cm x 75.8 cm x 25.0 cm

Carton Dimensions (WxHxD)  
38-1/8" x 29-3/4" x 13-3/8"  
96.8 cm x 75.4 cm x 33.8 cm

Packaged Weight  
68 lbs / 30.9 kg

UPC  
781052064478



**BF33DXP**  
33" Deluxe Electric Firebox

Product Dimensions (WxHxD)  
32-3/4" x 28-1/2" x 14-1/4"  
83.2 cm x 73.5 cm x 36.2 cm

Carton Dimensions (WxHxD)  
34-3/4" x 31-1/8" x 16-1/2"  
88.0 cm x 79.0 cm x 42.0 cm

Packaged Weight  
80 lbs / 36.4 kg

UPC  
781052045781



**BF39STP**  
39" Electric Firebox

Product Dimensions (WxHxD)  
38-3/4" x 32-3/4" x 15-1/4"  
98.4 cm x 83.2 cm x 38.7 cm

Carton Dimensions (WxHxD)  
40" x 34-1/2" x 17-1/2"  
101.6 cm x 87.6 cm x 44.5 cm

Packaged Weight  
87 lbs / 39.5 kg

UPC  
781052045798



**BF39DXP**  
39" Deluxe Electric Firebox

Product Dimensions (WxHxD)  
38-3/4" x 32-3/4" x 15-1/4"  
98.4 cm x 83.2 cm x 38.7 cm

Carton Dimensions (WxHxD)  
40" x 34-1/2" x 17-1/2"  
101.6 cm x 87.6 cm x 44.5 cm

Packaged Weight  
87 lbs / 39.5 kg

UPC  
781052045804



**BF45DXP**  
45" Deluxe Electric Firebox

Product Dimensions (WxHxD)  
44-3/4" x 32-3/4" x 15-3/8"  
113.7 cm x 83.2 cm x 38.8 cm

Carton Dimensions (WxHxD)  
45-3/4" x 35-1/2" x 17-1/2"  
116.3 cm x 90.3 cm x 44.5 cm

Packaged Weight  
110 lbs / 50 kg

UPC  
781052052390



## BF Series Accessories



### Accessories (sold separately)




Bi-fold Look Glass Door

Model #	Firebox
BFDOOR33BLKSM	BF33DXP UPC - 781052041233
BFDOOR39BLKSM	BF39STP & BF39DXP UPC - 781052041257
BFDOOR45BLKSM	BF45DXP UPC - 781052041271



Tamperproof Glass Door

Model #	Firebox
BFSL33DOOR	BFSL33 UPC - 781052063778
BFGGLASS33BLK	BF33DXP UPC - 781052044623
BFGGLASS39BLK	BF39STP & BF39DXP UPC - 781052044630
BFGGLASS45BLK	BF45DXP UPC - 781052044647



Swing Glass Door

Model #	Firebox
BFSDOOR33BLK	BF33DXP UPC - 781052044593
BFSDOOR39BLK	BF39STP & BF39DXP UPC - 781052044593



Trim Kit

Model #	Firebox
BF4TRIM33	BF33DXP UPC - 781052052932
BF4TRIM39	BF39STP & BF39DXP UPC - 781052052956
BF4TRIM45	BF45DXP UPC - 781052052970



**BFPLUGE**  
Plug Kit, includes  
7 ft. cord  
UPC 781052040748



**TS321W**  
Wall-mount  
Thermostat  
UPC 781052042407



**BFRC-KIT**  
3-stage Remote  
Control Kit (included  
with BFSL33)



**DF Series**

The 33" plug-in electric firebox offers a widescreen electric 120 V firebox with thermostat controlled fan-forced heat. With our patented electric flame technology, the pulsating embers with hand finished logs offer incredible realism.

## DF Series

### The Original Dimplex Flame Effect™


A blend of technology, artistry and craftsmanship that sets the standard for realism

### Supplemental Heating

A powerful fan-forced heater designed to keep the rooms you spend the most time in warm and comfortable

### Patented Inner Glow Logs

Individually molded and hand-finished logs pulse and glow from within for the look of natural burning logs



**DF3015**  
30" Plug-in Electric Firebox

**Product Dimensions (WxHxD)**  
31-1/8" x 26-3/8" x 10-5/8"  
79.7 cm x 67.0 cm x 26.8 cm

**Carton Dimensions (WxHxD)**  
36" x 29" x 14"  
91.4 cm x 73.7 cm x 35.6 cm

**Gross Weight**  
74 lbs / 33.6 kg

**UPC**  
78105043213



**DF3033ST**  
33" Plug-in Electric Firebox

**Product Dimensions (WxHxD)**  
33-1/8" x 23-3/8" x 9-5/8"  
84.1 cm x 59.4 cm x 24.2 cm

**Carton Dimensions (WxHxD)**  
37-1/4" x 27-5/8" x 13"  
94.2 cm x 70.1 cm x 33.0 cm

**Gross Weight**  
60.4 lbs / 27.5 kg

**UPC**  
781052054271



## Multi-Fire XHD™



The brilliant Multi-Fire® flame effect combined with a range of ambient light themes produce a soothing atmosphere. The XHD Series features intuitive multi-function control options with the added benefit of powerful heating. Create a unique, customizable fireplace that is sure to warm and impress in any space.



## Multi-Fire XHD™

### Multi-Fire XHD™ Flame Effect

High-contrast flames feature improved brightness and character for a dazzling, lifelike effect

### Customizable Flame

The Multi-Fire technology allows you to adjust the speed of the flame to create the perfect atmosphere to suit your mood or room

### Powerful Heating

Powerful fan-forced heater features a safe, ceramic element that provides on-demand heat for up to 1,000 sq. ft.

Also available in  
Acrylic Ice



**XHD23L**  
23" Multi-Fire XHD  
Electric Firebox - Realogs

Product Dimensions (WxHxD)  
23" x 20-1/2" x 7-1/2"  
58.4 cm x 52.0 cm x 19.1 cm

Carton Dimensions (WxHxD)  
25-5/8" x 24" x 10-5/8"  
65.0 cm x 61.0 cm x 27.0 cm

Packaged Weight  
28.2 lbs / 12.8 kg

UPC  
781052115125



**XHD26L**  
26" Multi-Fire XHD  
Electric Firebox - Realogs

Product Dimensions (WxHxD)  
26" x 18-7/8" x 7-1/2"  
66.0 cm x 47.9 cm x 19.1 cm

Carton Dimensions (WxHxD)  
28-1/2" x 22-3/8" x 10-5/8"  
72.4 cm x 56.9 cm x 26.9 cm

Packaged Weight  
30 lbs / 13.6 kg

UPC  
781052110823



**XHD28L**  
28" Multi-Fire XHD  
Electric Firebox - Realogs

Product Dimensions (WxHxD)  
27-3/8" x 23-1/2" x 7-1/2"  
69.5 cm x 59.7 cm x 19.1 cm

Carton Dimensions (WxHxD)  
30" x 26-7/8" x 11-1/8"  
76.0 cm x 68.0 cm x 28.0 cm

Packaged Weight  
35.5 lbs / 16.5 kg

UPC  
781052110847



**XHD33L**  
33" Multi-Fire XHD  
Electric Firebox - Realogs

Product Dimensions (WxHxD)  
33-1/8" x 23-1/4" x 7-1/2"  
84.0 cm x 58.9 cm x 19.1 cm

Carton Dimensions (WxHxD)  
35-5/8" x 26-7/8" x 11-1/8"  
90.5 cm x 68.0 cm x 28.0 cm

Packaged Weight  
36.5 lbs / 16.1 kg

UPC  
781052131217

## Multi-Fire XHD™

### Multi-Fire XHD™ Flame Effect

High-contrast flames feature improved brightness and character for a dazzling, lifelike effect

### Customizable Flame

The Multi-Fire technology allows you to adjust the speed of the flame to create the perfect atmosphere to suit your mood or room

### Powerful Heating

Powerful fan-forced heater features a safe, ceramic element that provides on-demand heat for up to 1,000 sq. ft.

Also available in  
Realogs®



**XHD23G**  
23" Multi-Fire XHD  
Electric Firebox - Realogs

Product Dimensions (WxHxD)  
23" x 20-1/2" x 7-1/2"  
58.4 cm x 52.0 cm x 19.1 cm

Carton Dimensions (WxHxD)  
25-5/8" x 24" x 10-5/8"  
65.0 cm x 61.0 cm x 27.0 cm

Packaged Weight  
28.2 lbs / 12.8 kg

UPC  
781052115118



**XHD26G**  
26" Multi-Fire XHD  
Electric Firebox - Realogs

Product Dimensions (WxHxD)  
26" x 18-7/8" x 7-1/2"  
66.0 cm x 47.9 cm x 19.1 cm

Carton Dimensions (WxHxD)  
28-1/2" x 22-3/8" x 10-5/8"  
72.4 cm x 56.9 cm x 26.9 cm

Packaged Weight  
30 lbs / 13.6 kg

UPC  
781052110816



**XHD28G**  
28" Multi-Fire XHD  
Electric Firebox - Realogs

Product Dimensions (WxHxD)  
27-3/8" x 23-1/2" x 7-1/2"  
69.5 cm x 59.7 cm x 19.1 cm

Carton Dimensions (WxHxD)  
30" x 26-7/8" x 11-1/8"  
76.0 cm x 68.0 cm x 28.0 cm

Packaged Weight  
35.5 lbs / 16.5 kg

UPC  
781052117907



**XHD33G**  
33" Multi-Fire XHD  
Electric Firebox - Realogs

Product Dimensions (WxHxD)  
33-1/8" x 23-1/4" x 7-1/2"  
84.0 cm x 58.9 cm x 19.1 cm

Carton Dimensions (WxHxD)  
35-5/8" x 26-7/8" x 11-1/8"  
90.5 cm x 68.0 cm x 28.0 cm

Packaged Weight  
36.5 lbs / 16.1 kg

UPC  
78105213122



## Multi-Fire XD®

### Multi-Fire XD™ Flame Effect


Vivid flames that are brighter and more lifelike compared to our previous firebox

### Media Accent Colors

Choose from a variety of brilliant color themes or cycle through a range of colors using the custom mode

### Comfort\$aver® Heating System

Safe ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.



**PF2325HG**  
**25" Multi-Fire XD**  
**Electric Firebox - Acrylic Ice**

**Product Dimensions (WxHxD)**  
 25-7/8" x 18-7/8" x 9-1/4"  
 65.7 cm x 47.9 cm x 23.6 cm

**Carton Dimensions (WxHxD)**  
 29-1/4" x 21-1/2" x 13-3/8"  
 74.2 cm x 54.6 cm x 34.0 cm

**Gross Weight**  
 40 lbs / 18.2 kg

**UPC**  
 781052095014



## Specifications

Firebox Series	Revillusion Deluxe	Revillusion	BFSL Series	BF Series	DF Series	PF Series	XHD Series
Size	24"	30", 36", 36"P, 42"	33"	33", 39", 45"	30", 33"	25"	23", 26", 28", 33"
Media	Realogs®		Inner Glow Logs	Inner Glow Logs	Inner Glow Logs	Acrylic Ice	Acrylic Ice, Realogs®
Inner Glow Logs	•	•	•	•	•	•	•
Media Color Settings	•	•				•	•
Interior Surround	Herringbone or Weathered Concrete Interior		Black	Black, Authentic brick-look interior	Brick-look   Black/3D Mirror	Black	Black
Flame Technology	Revillusion® Flame		Original Dimplex Flame		Original Dimplex Flame	Multi-Fire XD™	Multi-Fire XHD™
Flame Speed	•				•		•
Flame Only Mode	•	•	•	•	•	•	•
Light Settings	Mood Lighting, Brightness and Flicker, Ambient Light Sensor				Adjustable brightness	Mood Lighting, Brightness and Flicker	Adjustable Brightness
Heat Operation	Comfort\$aver®	Primary Heat Option to use 240V supply for up to 9200 BTU			Supplemental Heat	Comfort\$aver®	Powerful Supplemental Heating
Heating Range	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.	Up to 400 sq. ft.	Up to 1,000 sq. ft.	Up to 1,000 sq. ft.
Heater Only Mode	•	•	When connected to a switch or thermostat		•	•	•
Heater Element	Ceramic	Steel Sheathed	Steel Sheathed		Stitched Wire	Ceramic	Stitched Wire
Heat Disable	Onboard controls or hardware disconnect	Onboard controls or hardware disconnect	Hardware disconnect only	Hardware disconnect only	On remote control	Onboard controls	Onboard controls
Built-in Thermostat	•	•				•	•
Connects to a Wall Thermostat			•	•			
Wiring Type	Plug-in	Direct wire (optional plug kit)	Direct wire (optional plug kit)	Direct wire (optional plug kit)	Plug-in	Plug-in	Plug-in
Volts	120	120 / 208 / 240	120 / 208 / 240	120 / 208 / 240	120	120	120
Watts	1500	1375 / 1975 / 2575	1223 / 1823 / 2423	1440 / 2100 / 2700	780   1500	1500	1465
BTU	5118	4400 / 6745 / 8794	4173 / 6220 / 8267	4913 / 7165 / 9213	2660   5118	5118	5000
Display	•	•			On remote control	•	•
Onboard Controls	Hidden-Touch Controls	Hidden-Touch Controls	Toggle	Toggle	Toggle	Hidden-Touch Controls	Hidden-Touch Controls
Timer	•	•			•	•	•
Optional Accessories	•	•	•	•			XHD26/28G only
Remote Control	•	•	•		•	•	•
Warranty Include parts/service	2-year limited	2-year limited	2-year limited	2-year limited	5-year limited	1-year limited	2-year limited

## Opti-Myst® Linear Series

NEW!



Enjoy a lifelike flame and smoke effect created by revolutionary ultrasonic technology using water vapor, making for the world's safest fireplace. The result is an appearance so authentic it will be mistaken for a traditional wood-burning fireplace.

## Opti-Myst® Linear Series

### Opti-myst® Flame Effect

Revolutionary ultrasonic technology produces a fine vapor to create the illusion of flames and smoke

### Comfort\$aver® Heating System

Safe concealed ceramic heat, plus 11% energy savings, warms up to 1,000 sq. ft.

### Slim Design

A zero-clearance firebox with a slimmer 11-1/2" deep design

**NEW!**



**OLF46-AM - Opti-myst 46"**  
Linear Electric Fireplace

**Product Dimensions (WxHxD)**  
47-1/2" x 31-1/2" x 11-7/8"  
120.6 cm x 80.0 cm x 30.0 cm

**Carton Dimensions (WxHxD)**  
50-3/8" x 34-3/8" x 15-1/2"  
127.8 cm x 87.1 cm x 39.1 cm

**Packaged Weight**  
150.3 lbs / 68.2 kg

**UPC**  
781052136786



**OLF66-AM - Opti-myst 66"**  
Linear Electric Fireplace

**Product Dimensions (WxHxD)**  
67-1/2" x 31-1/2" x 11-7/8"  
171.4 cm x 80.0 cm x 30.0 cm

**Carton Dimensions (WxHxD)**  
70-3/8" x 34-3/8" x 15-1/2"  
178.6 cm x 87.1 cm x 39.1 cm

**Packaged Weight**  
204.8 lbs / 92.9 kg

**UPC**  
781052136793



**OLF86-AM - Opti-myst 86"**  
Linear Electric Fireplace

**Product Dimensions (WxHxD)**  
87-1/2" x 31-1/2" x 11-7/8"  
222.2 cm x 80.0 cm x 30.0 cm

**Carton Dimensions (WxHxD)**  
90-3/8" x 34-3/8" x 15-1/2"  
229.4 cm x 87.1 cm x 39.1 cm

**Packaged Weight**  
264.5 lbs / 120 kg

**UPC**  
781052136809



## Opti-Myst® Linear Series Accessories



### Flame Themes



Opti-myst Linear fireboxes includes Acrylic Ice and Driftwood media

### Accessories (sold separately)



**Plumb Kit**  
CDFIPLUMB-KIT  
UPC  
781052103221

### Sight and Sound Remote



### Flame Connect App



**NEW! Flame Connect App**  
See page 2 for more details

## Opti-myst® Pro 1500

### Opti-myst® Flame Effect


Revolutionary ultrasonic technology produces a fine vapor to create the illusion of flames and smoke

### Supplemental Heat

Includes a robust fan-forced heater to warm up to 400 sq. ft

### Single or Double-sided

Removable back panel makes converting to see-through easy (glass sold separately)



### GBF1500-PRO 60" Built-In Electric Firebox Kit

Includes the following:  
(Ships in 4 cartons)



\* Above image shows product used with rear glass, sold separately, see page 36

#### CDFI-BX1500 Opti-myst Pro 1500 Firebox

Product Dimensions (WxHxD)  
65" x 31-3/4" x 16-1/4"  
165.0 cm x 80.5 cm x 41.2 cm

Carton Dimensions (WxHxD)  
68-3/4" x 36-3/4" x 18-1/8"  
174.5 cm x 93.5 cm x 46.0 cm

Packaged Weight  
111.5 lbs / 50.6 kg

UPC  
781052133709

#### CDFI1000-PRO Opti-myst Pro 1000 Cassette

Product Dimensions (WxHxD)  
40-1/8" x 9-1/2" x 12"  
101.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)  
44-1/2" x 13-3/8" x 18-1/8"  
113.0 cm x 34.0 cm x 46.0 cm

Packaged Weight  
35 lbs / 15.87 kg

UPC  
781052112612

#### CDFI500-PRO Opti-myst Pro 500 Cassette

Product Dimensions (WxHxD)  
20" x 9-1/2" x 12"  
50.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)  
24-3/8" x 13-7/8" x 17-3/4"  
62.0 cm x 34.0 cm x 45.0 cm

Packaged Weight  
24.2 lbs / 10.9 kg

UPC  
781052113053

#### FG1500 Front Glass

Product Dimensions (WxHxD)  
60-3/4" x 15-1/4" x 1-5/8"  
154.4 cm x 38.8 cm x 4.1 cm

Carton Dimensions (WxHxD)  
71-3/8" x 21-5/8" x 5-1/4"  
181.5 cm x 55.0 cm x 13.5 cm

Packaged Weight  
28.4 lbs / 12.88 kg

UPC  
781052133716



## Opti-myst® Pro 1000

### Opti-myst® Flame Effect

Revolutionary ultrasonic technology produces a fine vapor to create the illusion of flames and smoke

### Supplemental Heat

Includes a robust fan-forced heater to warm up to 400 sq. ft.

### Single or Double-sided

Removable back panel makes converting to see-through easy (glass sold separately)



### GBF1000-PRO 40" Built-in Electric Firebox Kit

Includes the  
following:  
(Ships in 3 cartons)



#### CDFI-BX1000 Opti-myst Pro 1000 Firebox

Product Dimensions (WxHxD)  
46 -5/8" x 31-3/4" x 16-1/4"  
118.4 cm x 80.5 cm x 41.2 cm

Carton Dimensions (WxHxD)  
48-1/2" x 37" x 18-1/8"  
123.0 cm x 94.0 cm x 46.0 cm

Packaged Weight  
81.4 lbs / 37 kg

UPC  
781052110618



#### CDFI1000-PRO Opti-myst Pro 1000 Cassette


Product Dimensions (WxHxD)  
40-1/8" x 9-1/2" x 12"  
101.8 cm x 24.1 cm x 30.3 cm

Carton Dimensions (WxHxD)  
44-1/2" x 13-3/8" x 18-1/8"  
113.0 cm x 34.0 cm x 46.0 cm

Packaged Weight  
35 lbs / 15.87 kg

UPC  
781052112612

\* Above image shows product used with rear glass,  
sold separately, see page 36



#### FG1000 Front Glass

Product Dimensions (WxHxD)  
40-5/8" x 14-1/2" x 1-5/8"  
103.0 cm x 36.8 cm x 4.1 cm

Carton Dimensions (WxHxD)  
50-5/8" x 20-7/8" x 5-1/8"  
128.5 cm x 53.0 cm x 13.0 cm


Packaged Weight  
19.6 lbs / 8.9 kg

UPC  
781052118379

## Opti-myst® Pro Accessories



### Accessories (sold separately)



Rear Glass Pane

**GBF1000-GLASS**  
UPC 781052116979

**GBF1500-GLASS**  
UPC 781052133723

Allows for see-through installations



Log Kit

**CDFILOG**

**Opti-myst® Pro 1000**  
Order two **CDFILOG** UPC 781052103238

**Opti-myst® Pro 1500**  
Order three **CDFILOG** UPC 781052103238



Direct Plumbing Kit

**CDFIPLUMB-KIT**  
UPC 781052103221



**Black Rock Media**  
**CDFI1000-BLKRCK**  
UPC 781052121065  
**CDFI1500-BLKRCK**  
UPC 781052120983



**River Rock Media**  
**CDFI1000-RVRCK**  
UPC 781052121072  
**CDFI1500-RVRCK**  
UPC 781052133785



**Driftwood Media**  
**CDFI1000-DWSKIT**  
UPC 781052121027  
**CDFI1500-DWSKIT**  
UPC 781052121034



## Opti-myst® Cassettes

### Opti-myst® Flame Effect

Revolutionary ultrasonic technology produces a fine vapor to create the illusion of flames and smoke

### Modular Design

Cassettes can be combined in series to achieve the desired length for dramatic linear installations impossible to achieve with gas fires

### Continuous Water Supply

Designed to connect to main water line providing continuous operation without manually refilling water tanks. Optional plumbing kit is available




**CDFI500-PRO**  
Opti-myst® Pro 500 Cassette

**Product Dimensions (WxHxD)**  
20" x 9-1/2" x 12"  
50.8 cm x 24.1 cm x 30.5 cm

**Carton Dimensions (WxHxD)**  
24-3/8" x 13-7/8" x 17-3/4"  
62.0 cm x 34.0 cm x 45.0 cm

**Packaged Weight**  
24.2 lbs / 10.9 kg

**UPC**  
781052113053



**CDFI1000-PRO**  
Opti-myst® Pro 1000 Cassette

**Product Dimensions (WxHxD)**  
40-1/8" x 9-1/2" x 12"  
101.8 cm x 24.1 cm x 30.3 cm

**Carton Dimensions (WxHxD)**  
44-1/2" x 13-3/8" x 18-1/8"  
113.0 cm x 34.0 cm x 46.0 cm

**Packaged Weight**  
35 lbs / 15.87 kg

**UPC**  
781052112612

## Opti-myst® Cassette Accessories



### Accessories (sold separately)



500 Cassette Log Set

CDFILOG

UPC 781052103238



1000 Cassette Log Set

CDFILOG (order two for CDFI1000-PRO)


UPC 781052103238



Plug Kit

CDFI-PLUGKIT

UPC 781052105591



Direct-wire Heater Accessory

CDFI-TMHEAT

UPC 781052121058



Black Rock Media

CDFI500-BLKRCK

UPC 781052120983

CDFI1000-BLKRCK

UPC 781052121065



River Rock Media

CDFI500-RVRCK

UPC 781052121003

CDFI1000-RVRCK

UPC 781052121072



Driftwood Media

CDFI500-DWSKIT

UPC 781052121034

CDFI1000-DWSKIT

UPC 781052121027

**Revillusion®**



**RLG20BR shown**  
23-3/4" x 19" x 12-1/2" (WxHxD)  
60.3 cm x 48.2 cm x 31.7 cm



**RLG20**  
20" Revillusion® Log Set  
UPC 781052104709  
Shown with optional ash mat (not included) REM-KIT



**RLG20BR**  
20" Revillusion® Log Set  
Birch Logs  
UPC 781052130173



**RLG20FC**  
20" Revillusion® Log Set  
Fresh Cut Logs  
UPC 781052134911



**DFI2310**  
23" Electric  
Fireplace Insert  
UPC 781052049406



**RLG25**  
25" Revillusion® Log Set  
UPC 781052104686



**RLG25BR**  
25" Revillusion® Log Set  
Birch Logs  
UPC 781052130319



**RLG25FC**  
25" Revillusion® Log Set  
Fresh Cut Logs  
UPC 781052130302



**DFI23TRIMX**  
Trim Kit  
for DFI2310  
UPC 78105239285