



2022–2023 LINEAR CATALOG Electric Fireplaces



ABOUT US

Modern Flames was established in 2008 and has quickly become gained notoriety with architects, designers, builders and the innovative leader in contemporary electric fireplace design and homeowners for its unbelievable life-like flame appearance, ease technology. After pioneering the linear electric fireplace through- of installation and affordable cost to the builder compared to out North America, Modern Flames' brand has skyrocketed with wood and gas. With global movement into greener building and many firsts to market which include; the first linear recessed electric high efficiency products, With a new corporate headquarters fireplace, the first fully built-in electric fireplace, the first outdoor and expanded warehouse in Phoenix, Arizona, Modern Flames electric and now the first steam electric fireplace. Modern Flames continues to be a leader in the electric fireplace industry. Modern has reinvented the electric fireplace look with its NEW Flames is innovating the industry standards of tomorrow. Hybrid-FX™ flame technology. Modern Flames' products have

Stay current with our products and accessories on our web site

CONTENTS

4-7 Landscape Pro™ Multi Series The Most Versatile Electric Fireplace

8-11 Landscape Pro™ Slim Series Built-In Clean Face with Unique Frameless Design COVER PHOTO Landscape Pro™ Multi 56″ Single sided

12-15 Spectrum Slimline Series Recessed Flush Mount or Wall Mount



LANDSCAPE PRO™ MULTI

The Most Versatile Electric Fireplace on the Market

- MULTI SIZES: 44" | 56" | 68" | 80" | 96"
- MULTI INSTALL DEPTHS: BUILT-IN CLEAN FACE PARTIAL 2x4 RECESS WALL MOUNT
- MULTI CONFIGURATIONS: SINGLE SIDED, LEFT CORNER, RIGHT CORNER & 3-SIDED (BAY)
- MULTI LIGHT CONTROL: FLAME COLOR, EMBER BED COLOR & DOWNLIGHTING COLOR
- MULTI LIGHT COLORS: FULL RGB COLOR SPECTRUM IN ALL LIGHTING FEATURES

Up to 12 different install configurations included standard in the box!

Choose a beautiful single sided installation or get creative and design the fireplace exactly how you want into the feature wall of your dreams.



New high intensity multi-color flame technology paired with matching up lighting and downlighting create the full customizable experience in the home.

Hundreds of different stunning color combinations to select from!

STANDARD FEATURES

LIGHTING

- New Hybrid-FX[™] Flame Technology
- Random, Beautiful Flame Image
- High Intensity RGB Flame Colors
- RGB Ember Bed Colors
- RGB Downlighting Colors
- Individually Controlled or Synchronized
- Full Color Spectrum in Each Light Feature
- Active Ember Bed

MEDIA

- Clear Acrylic Stone Media
- Black Smoke Acrylic Crystals
- Hand-Painted Canyon Driftwood
- Log Set Highly Detailed Realism

HEAT

- Up To 10,000 BTU Heat Output
- High Efficiency PTC Ceramic Heater

CONTROLS & FUNCTIONS

- Basic Features Manual Controls
- Full Feature Remote Control
 - RGB Color Wheel
 - Brightness Slide Bar
- Full Feature Modern Flames App

OPTIONAL UPGRADES

UPGRADED MEDIA

- River Stones 16 Piece Set
- 6 Color Options
- ½" Reflective Fireglass 10 lb. Jars
 - 7 Color Options
- Recessed & Wall Mount Cabinets

OPTIONAL CONTROL

• Wireless Thermostat & Full Wall Control

modernflames com

LIGHTING - INDEPENDENT COLOR CONTROL

Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting







MEDIA - PREMIUM LOG SET STANDARD

Canyon Driftwood Log Set with Smoked Glacier Crystals & Clear Stones



HEAT - 5,000 - 10,000 BTU 120V & 240V High Efficiency Ceramic Heater



FLAMES & LIGHTING

15 WATTS





1500 WATT HEATER 120V 5,000 BTU UP TO 400 SQ FT



UP TO 800 SO FT



Landscape Pro™ Multi Fireplaces are equipped with adjustable heaters controlled by remote or phone app. Wireless Wall Control has thermostat controls.

UPGRADE MEDIA

Premium Reflective Glass Media & Colorado River Stones





modernflames.com



Diamond

Gray Wash







Silver



Bronze



Brown



Copper









Adriatic Topaz





STANDARD CONTROLS REMOTE CONTROL & MANUAL CONTROL





UPGRADE CONTROLS

WIRELESS WALL THERMOSTAT CONTROL



MULTI INSTALLATIONS - OVER 12 DIFFERENT CONFIGURATIONS


MULTI INSTALL DEPTHS:


- BUILT-IN CLEAN FACE
- PARTIAL 2x6 RECESS
- WALL MOUNT


MULTI CONFIGURATIONS:


- SINGLE SIDED WALL MOUNT
- LEFT CORNER • BUILT-IN RECESSED (2X4)
- RIGHT CORNER FLOATING WALL CABINET
- 3-SIDED (BAY) FLOOR CABINET

3 SIDED (BAY)










			VIEWING AREA							
MODEL & CONFIGURATION			FIREBOX DIMENSIONS							
MODEL#	CONFIGURATION	A	B	С	D	E	F	G	H	I DAGE TO
MODEL#	CONFIGURATION	FRONT GLASS WIDTH	SIDE GLASS WIDTH	GLASS HEIGHT	OVERALL WIDTH	OVERALL HEIGHT	OVERALL DEPTH	BOTTOM TO VIEWING	TOP TO VIEWING	BACK TO VIEWING
LPM-4416	SINGLE SIDED	43.875"	-	15.5"	44"	24.875"	11.5"	4.5"	4.5"	-
	CORNER (L/R)	43.875"	5	15.5"	44"	24.875"	11.5"	4.5"	4.5"	4.125"
	3-SIDED (BAY)	43.875"	5	15.5"	44"	24.875"	11.5"	4.5"	4.5"	4.125"
LPM-5616	SINGLE SIDED	55.875"		15.5"	56"	24.875"	11.5"	4.5"	4.5"	-
	CORNER (L/R)	55.875"	5	15.5"	56"	24.875"	11.5"	4.5"	4.5"	4.125"
	3-SIDED (BAY)	55.875"	5	15.5"	56"	24.875"	11.5"	4.5"	4.5"	4.125"
LPM-6816	SINGLE SIDED	67.875"	-	15.5"	68"	24.875"	11.5"	4.5"	4.5"	-
	CORNER (L/R)	67.875"	5	15.5"	68"	24.875"	11.5"	4.5"	4.5"	4.125"
	3-SIDED (BAY)	67.875"	5	15.5"	68"	24.875"	11.5"	4.5"	4.5"	4.125"
LPM-8016	SINGLE SIDED	79.875"		15.5"	80"	24.875"	11.5"	4.5"	4.5"	-
	CORNER (L/R)	79.875"	5	15.5"	80"	24.875"	11.5"	4.5"	4.5"	4.125"
	3-SIDED (BAY)	79.875"	5	15.5"	80"	24.875"	11.5"	4.5"	4.5"	4.125
LPM-9616	SINGLE SIDED	95.875"		15.5"	96"	24.875"	11.5"	4.5"	4.5"	-
	CORNER (L/R)	95.875"	5	15.5"	96"	24.875"	11.5"	4.5"	4.5"	4.125"
	3-SIDED (BAY)	95.875"	5	15.5"	96"	24.875"	11.5"	4.5"	4.5"	4.125





LANDSCAPE PRO™ SLIM SERIES

Built-in Clean Face Electric Fireplace

The Landscape Pro™ Slim electric fireplace is the perfect option for any customer looking for a unique frameless look installed into a 2" x 6" wall. This new Slim model in the Landscape Pro™ Series features independently controlled flame plus up & down lighting with an edge-to-edge viewing area. This Pro Series model features NEW Hybrid-FX™ flame technology, high intensity LED lighting and active ember bed, Driftwood Logs & Wi-Fi controls all as standard features. The Landscape Pro Slim features a 5000 BTU heater, remote and wireless control and comes in 5 linear sizes, 44" | 56" | 68" | 80" | 96".



STANDARD FEATURES



Mybrid-FX™ Flame Technology



🗻 Log Set – Highly Detailed Realism



Flame, Ember Bed & Down lighting Controlled, Independently or Together



2 Different Ember Bed Stone Styles




Full Flame Viewing Area




Fully Finished Clean Face Installation
















Wi-Fi Controls with Modern Flames App

LANDSCAPE PRO™ SLIM SERIES

Driftwood Logs & Acrylic Ember Bed Included Standard







Comes Standard with 2 Types of Acrylic Media: Smoke & Clear




LANDSCAPE PRO™ SLIM SERIES

Dimension Specs

LANDSCAPE PRO SLIM DIMENSIONAL SPECS

Model Number	A	В	C	D	Е	FRAMING W x H x D
LPS-4414	14" (356mm)	43-3/4" (1111mm)	6" (152mm)	23-3/4" (603mm)	44-1/4" (1124mm)	44-1/2" (1303mm) x 24" (610mm) x 5-1/2" (140mm)
LPS-5614	14" (356mm)	55-3/4" (1416mm)	6" (152mm)	23-3/4" (603mm)	56-1/4" (1429mm)	56-1/2" (1435mm) x 24" (610mm) x 5-1/2" (140mm)
LPS-6814	14" (356mm)	67-3/4" (1721mm)	6" (152mm)	23-3/4" (603mm)	68-1/4" (1734mm)	68-1/2" (1740mm) x 24" (610mm) x 5-1/2" (140mm)
LPS-8014	14" (356mm)	79-3/4" (2026mm)	6" (152mm)	23-3/4" (603mm)	80-1/4" (2038mm)	80-1/2" (2045mm) x 24" (610mm) x 5-1/2" (140mm)
LPS-9614	14" (356mm)	95-3/4" (2432mm)	6" (152mm)	23-3/4" (603mm)	96-1/4" (2445mm)	96-1/2" (2451mm) x 24" (610mm) x 5-1/2" (140mm)



LANDSCAPE PRO SLIM - OPTIONAL INVISIBLE NON GLARE MESH SCREEN Optional invisible non glare mesh screen, in place of glass front.









SPECTRUM SLIMLINE SERIES


Recessed Flush Mount or Wall Mount Electric Fireplace

Modern Flames new Spectrum Slimline has revamped the recessed electric fireplace category. This 2" x 4" or wall mount installation electric fireplace has removed the large black glass surround and is finished off with a sleek 5/8" trim to maximize the viewing area. Hardwoods or tile can be finished right up to the opening of the fireplace while still keeping in mind serviceability. The Spectrum Slimline features high intensity flame and ember bed lighting showcasing our new Hybrid-FX™ flame technology independently controlled with 12 different color options. Other standard features include variable & thermostatic heat, variable motor controls, timer, push button and remote controls. The acrylic crystal media and driftwood logs are both standard media and the Spectrum Slimline is available in 50", 60", 74" & 100" sizes.



STANDARD FEATURES


























Do it Yourself Installation Instructions

SPECTRUM SLIMLINE SERIES

Independent Flame & Ember Bed Color Combinations

Blue Flames & Orange Ember Bed

Magenta Flames & Magenta Ember Bed

Orange Flames & Blue Ember Bed

The 6 button control panel is located at the top right of fireplace including a digital readout thermostat. From right to left, button #1 turns the fireplace on or off. Button #2 controls ember bed lights. #3 controls the flame colors #4 turns the heater on or off. Button #5 controls timer setting to turn off fireplace at selected time, and button #6 adjusts the desired heater temperature.

12 Flame & Ember Bed Colors Controlled Independently - Examples Shown Below



Blue Flames & Blue Ember Bed



Green Flames & Green Ember Bed



Purple Flames & Blue Ember Bed





Orange Flames & Orange Ember Bed



Gold Flames & Gold Ember Bed

Pink Flames & Blue Ember Bed Red Flames & Red Ember Bed



Gold Flames & Green Ember Bed




Purple Flames & Purple Ember Bed


SPECTRUM SLIMLINE SERIES

Dimension Specs

SPECTRUM SLIMLINE DIMENSIONAL SPECS

Model Number	Α	В	С	D	E	F	G	Н	FINISHED OPENING DIMENSIONS W x H x D
SPS-50B	49-3/4" (1264mm)	17" (430mm)	4-3/4" (121mm)	48-5/8" (1235mm)	16-1/8" (410mm)	4" (102mm)	46" (1168mm)	12" (305mm)	48-7/8" (1242mm) x 16-1/4" (413mm) x 4" (102mm) minimum
SPS-60B	59-3/4 " (1518mm)	17" (430mm)	4-3/4" (121mm)	58-5/8" (1489mm)	16-1/8 " (410mm)	4" (102mm)	55-13/16" (1418mm)	12" (305mm)	58-7/8" (1496mm) x 16-1/4" (413mm) x 4" (102mm) minimum
SPS-74B	73-3/4 " (1873mm)	17" (430mm)	4-3/4" (121mm)	72-5/8 " (1845mm)	16-1/8" (410mm)	4" (102mm)	69-3/4" (1772mm)	12" (305mm)	72-7/8" (1851mm) x 16-1/4" (413mm) x 4" (102mm) minimum
SPS-100B	99-3/4" (2534mm)	17" (430mm)	4-3/4" (121mm)	98-5/8" (2505mm)	16-1/8" (410mm)	4" (102mm)	95-7/8" (2435mm)	12" (305mm)	98-7/8" (2512mm) x 16-1/4" (413mm) x 4" (102mm) minimum

















3515 E. Atlanta Ave. Phoenix, AZ 85040 (602) 268-9353 • (877) 246-9353



INNOVATING THE INDUSTRY STANDARDS OF TOMORROW